

<u>Telephone</u> <u>Cordless</u>

Cordless Telephone KX-TG3411

Model		KX-TG3411BX
General	Frequency	2.4 GHz
	Number of Channels	91 Channels
	Number of Phone Lines	1
	Multiple Handsets Capability	1
	Multiple Base units Capability	-
	LCD Languages	English
Advanced Feature	Incoming Call Barring (Black List)	-
	Ringer/ Charger Indicator	-
	Category Ringer (Ringer ID) *1 *2	-
	Category Display Colours *1 *2	-
	Equalizer	-
	SMS *1	-
	Premium Texture	Yes
	Power Failure Call (Handset)	-
	Night Mode	-
	Call Restriction	-
	Icon Operation	-
	Low Radio Power (Handset)	-
	Clear Sound	-
	Nonslip Handset Design	-
	One Touch Eco Mode	-

0/14/21, 0.101 W	Repeater	-
	BT Headset	-
	BT Headset Volume	-
	BT Copying phonebook	-
Caller ID/ Phonebook	Caller ID *1	Yes
	Caller ID Memory *1	50 Stations (Name*2 & Number)
	Handset Phonebook Memory	50 items (16 characters/ 24 digits)
	Base Phonebook Memory	-
	Phonebook Copy (Handset to Handset)	-
	Speed Dial	-
Basic function (Handset)	LCD (Handset)	1.25 inch Dot 12 digits x 1 line Monochrome
	LCD Backlight Colour	Amber
	Illuminated Keypad	-
	Ringer Pattern (Tone/ Melody)	20 (6 + 14)
	Polyphonic Ringer Melody	-
	Ringer Volume	6-Step + OFF
	Redial Memory	5
	Digits of Redial Number	48
	Auto Redial	-
	Speakerphone	-
	Receiver Volume	4-Step
	Conference Call with outside Line	-
	Call Share	-
	Intercom (Handset to Base Unit)	-

, , , , ,	Intercom (Handset to Handset)	-
	Any Key Answer	Yes
	Hold	Yes (MENU)
	Mute	-
	Clock	Yes
	Alarm	-
	Battery	Ni-MH (AAA x 2)
	Talk Time	Up to 10 hours
	Standby Time	Up to 6 days
	Charge Time	About 7 hours
	Headset Jack	-
	Key Lock	-
	Belt Clip Included	-
Basic function (Base Unit)	Dial Keypad	-
Unit)	Corded Handset (Power Outage Operation *3)	-
	LCD (Base)	-
	Speakerphone	-
	Redial Memory (Base)	-
	Digits of Redial Number	-
	Auto Redial (Base)	-
	Hold	-
	Mute	-
	Handset Locator	Yes
	Ringer Pattern (Tone/ Melody)	-
	Ringer Volume	-

	Wall Mountable	Yes
Answering System	Answering System	-
	Total Recording Time	-
	Visual Message List (Handset LCD)	-
	Recording Conversation	-
	Call Screening	-
	Remote Operation from Outside (DTMF)	-
	Toll Saver	-
Optional Handset	Optional Handset	-
Power Consumption	Standby Power Consumption	0.5 W
Dimensions/ Weight	Base Dimensions (W x D x H)	90 mm x 100 mm x 50 mm
	Handset Dimensions (W x D x H)	49 mm x 30 mm x 159 mm
	Charger Dimensions (W x D x H)	-
	Base Weight	100 g
	Handset Weight with Battery	120 g
	Charger Weight	-
Note		*1 Requires subscription to Caller ID and / or SMS service offered by your telephone company *2 Requires registration in Phonebook function *3 This operation may not work properly depending on area or telephone line's condition.

Copyright © Panasonic Marketing Middle East & Africa FZE